

10/615, 504

05

04/18/07

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050232191"	US-PGPUB; USPAT	OR	ON	2007/04/18 15:24
L2	1	"20050044242"	US-PGPUB; USPAT	OR	ON	2007/04/18 15:25
L3	1	"7000189".pn.	US-PGPUB; USPAT	OR	ON	2007/04/18 15:25
S1	88122	gateway or proxy adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 17:55
S2	20637	S1 same (context or table or database or map)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 17:58
S3	11803	S1 with (context or table or database or map)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:02
S4	6534	S3 and (@ad<"20020711" or @pd<"20020711")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:17
S5	372	proxy adj server with (context table map) and (@ad<"20020711" or @pd<"20020711")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:06
S6	285	proxy adj server with (table map) and (@ad<"20020711" or @pd<"20020711")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:07

## EAST Search History

S64	58	( "5341477"   "5459837"   "5475813"   "5613155"   "5655081"   "5715453"   "5742768"   "5761507"   "5774660"   "5774668"   "5781449"   "5848270"   "5867706"   "5870559"   "5881238"   "5894554"   "5903757"   "5917491"   "5933490"   "5933596"   "5933606"   "5940594"   "5951643"   "5954798"   "5956716"   "5958008"   "5958016"   "5964836"   "5974441"   "5974462"   "5974572"   "6006260"   "6006264"   "6014437"   "6016504"   "6021439"   "6023722"   "6026414"   "6035323"   "6035332"   "6037935"   "6041041"   "6052718"   "6094659"   "6098093"   "6101508"   "6108300"   "6122658"   "6128279"   "6148335"   "6182139"   "6185601"   "6240454"   "6279001"   "6314463"   "6317786"   "6381242"   "6405252").PN. OR ("6912534").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 09:29
S65	21	S64 and request with (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 09:51
S66	1	S64 and request with (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing) and http adj header	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 09:57
S67	4151646	@ad<"20020711" or @rlad<"20020711"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 09:58
S68	4812	S67 and web adj page and http and request with (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:00

## EAST Search History

S69	375	S67 and http and web adj page with request with (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:01
S70	144	S67 and http and web adj page with request near4 (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:11
S71	0	S67 and http and web adj page with request near4 (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing) with token	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:12
S72	25	S67 and http and web adj page with request near4 (append or appending or add or adding or addition or modify or modifying or extract or extracting or remove or removing) with information	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 10:12
S73	1	"20060031417"	US-PGPUB; USPAT	OR	ON	2007/04/17 09:13
S74	6	service near2 availab\$6 near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:15
S75	693	load near2 balanc\$5 same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:15
S76	33293590	(@ad<"20020711" or @pd<"20020711")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:17

## EAST Search History

S77	395	S75 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:18
S78	146	S77 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:20
S79	72	S78 and prox\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:27
S80	2	"20020049842"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:32
S81	2	"6839700".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 09:32
S82	8	("6128279"   "6279001"   "6314463"   "6317786"   "6405252"   "6484143"   "6629127").PN. OR ("6839700"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/17 10:36
S83	0	"09969294".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/17 10:37
S84	1	offloading adj application adj components adj edge.ti.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/17 13:21
S86	1	"20030101278"	US-PGPUB; USPAT	OR	ON	2007/04/18 15:22
S87	1	"20040215665"	US-PGPUB; USPAT	OR	ON	2007/04/18 15:23

OS 04/17/07

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"service-availability: " request http header

Search

[Advanced Search](#)  
[Preferences](#)

**Web**

Results 1 - 100 of about 47,700 for "service-availability: " request http header". (0.25 seconds)

### CSS Content Load-Balancing Configuration Guide (Software Version ...

The CSS examines the **HTTP header** and URL in the **HTTP request** method (for example, GET, ... based on content rules, load balancing, and **service availability**. ...

[www.cisco.com/en/US/products/hw/contnetw/](http://www.cisco.com/en/US/products/hw/contnetw/)

[ps792/products\\_configuration\\_guide\\_chapter09186a008029c992.html](http://www.cisco.com/en/US/products/hw/contnetw/ps792/products_configuration_guide_chapter09186a008029c992.html) - 34k -

[Cached](#) - [Similar pages](#)

### Integrate the Network With .NET

They might use **HTTP** as the transport, such as with SOAP/XML, ... on how to direct that client **request** might not be found in the URL or the **HTTP header**. ...

[www.f5.com/communication/articles/archive00/article120203.html](http://www.f5.com/communication/articles/archive00/article120203.html) - 36k -

[Cached](#) - [Similar pages](#)

### White Paper - The Impact of Web Services on the Network

Key systems and devices that ensure Web **service availability** and reliability will be required ... **HTTP::header** sanitize "ETag" "Content-Type" "Connection" ...

[www.f5.com/solutions/technology/webservices\\_wp.html](http://www.f5.com/solutions/technology/webservices_wp.html) - 55k - [Cached](#) - [Similar pages](#)

[ [More results from www.f5.com](#) ]

### Best Practices for Web services, Part 10: Web Services performance ...

For example, defined in the SOAP specification is the SOAPAction **HTTP header** in the **request**, which **HTTP** proxy servers use to dispatch requests to particular ...

[www.ibm.com/developerworks/webservices/library/ws-best10/](http://www.ibm.com/developerworks/webservices/library/ws-best10/) - 45k -

[Cached](#) - [Similar pages](#)

### SOA realization: Service design principles

The SOA infrastructure offers runtime service location and **request** routing mechanisms. Availability, Individual **service availability** characteristics should ...

[www.ibm.com/developerworks/webservices/library/ws-soa-design/](http://www.ibm.com/developerworks/webservices/library/ws-soa-design/) - 82k -

[Cached](#) - [Similar pages](#)

### Http Monitor Software

HTTPProbe is a powerful **HTTP** viewer and analyser written in Java which allows you to read **HTTP headers**, log them and resend directly a **HTTP request** sent from ...

[www.programurl.com/software/http-monitor.htm](http://www.programurl.com/software/http-monitor.htm) - 80k - [Cached](#) - [Similar pages](#)

### Setting Connection Timeouts to Save Resources (IIS 6.0)

Use the HeaderWaitTimeout metabase property to set a **request** timeout for the ... the client computer to send all **HTTP headers** for a **request** (indicated by a ...

[www.microsoft.com/technet/prodtechnol/windowsserver2003/library/IIS/31a2f39c-4d59-4cba-905c-60e7af657e49.mspx](http://www.microsoft.com/technet/prodtechnol/windowsserver2003/library/IIS/31a2f39c-4d59-4cba-905c-60e7af657e49.mspx) - 16k - [Cached](#) - [Similar pages](#)

### System Monitoring with the Exchange Management Pack

Outlook Web Access logon failure: (**HTTP** error 400) Bad **Request** This rule ... server security from being compromised by examining **HTTP header** information and ...

[www.microsoft.com/technet/mom/2005/library/exchpack/empformom2005\\_5.mspx](http://www.microsoft.com/technet/mom/2005/library/exchpack/empformom2005_5.mspx) - 87k -

[Cached](#) - [Similar pages](#)

[ [More results from www.microsoft.com](#) ]

### SOA Monitoring

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

add "http request header" proxy

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 31 - 40 of about 30,200 for add "http request header" proxy. (0.36 seconds)

### Http request error when using AJAX.

✓ **Proxy-Authorization:** Basic cnBqYW5ha2E6YTdoMzEkNW0= **Pragma:** no-cache ... **BTW:** Did you try sending the Content-Length **HTTP Request Header?** xmlHttp. ...  
[www.daniweb.com/techtalkforums/thread73229.html](http://www.daniweb.com/techtalkforums/thread73229.html) - 64k - [Cached](#) - [Similar pages](#)

### iAnywhere.com - CREATE PROCEDURE statement

✓ AT location-string clause Create a **proxy** stored procedure on the current ... use this clause to modify **HTTP request header** entries, or to **add** new ones. ...  
[www.iAnywhere.com/.../product\\_manuals/sqlanywhere/1000/en/html/dbrfen10/rf-create-procedure-statement.html](http://www.iAnywhere.com/.../product_manuals/sqlanywhere/1000/en/html/dbrfen10/rf-create-procedure-statement.html) - 29k - [Cached](#) - [Similar pages](#)

### SecurityFocus

✓ Forcing the first **proxy** server in the chain to respond to the TRACE request (rather than forward it) is as simple as including an **HTTP request header** ...  
[www.securityfocus.com/archive/1/423028](http://www.securityfocus.com/archive/1/423028) - 16k - [Cached](#) - [Similar pages](#)

### Client-side state with HTTP cookies.

✓ **SYNTAX OF THE COOKIE HTTP REQUEST HEADER** When requesting a URL from an HTTP ... When caching HTTP, as a **proxy** server might do, the Set-cookie response ...  
[www.infospheres.caltech.edu/mailling\\_lists/java/msg00016.html](http://www.infospheres.caltech.edu/mailling_lists/java/msg00016.html) - 15k - [Cached](#) - [Similar pages](#)

### GskHttpRequest

✓ **Add Accept-Charset** headers to the header. The char-sets will be freed when ... **Proxy-Authorization** is intended to provide access control to the **proxy**. ...  
[gsk.sourceforge.net/gsk-reference/GskHttpRequest.html](http://gsk.sourceforge.net/gsk-reference/GskHttpRequest.html) - 53k - Apr 16, 2007 - [Cached](#) - [Similar pages](#)

### Configuring Transport-Level Security

✓ The steps for configuring transport-level custom credentials are described in "**Adding a Proxy Service**" under **Proxy Services** in Using the AquaLogic Service ...  
[edocs.bea.com/alsb/docs26/security/transport\\_level.html](http://edocs.bea.com/alsb/docs26/security/transport_level.html) - 58k - [Cached](#) - [Similar pages](#)

### draft duerst query i18n 00 txt

✓ **Transcoding Server/Proxy:** A HTTP Server or **Proxy** which transcodes the documents it serves, to respond to an "Accept-Charset" **HTTP request header** field. ...  
[gbiv.com/protocols/uri/drafts/draft-duerst-query-i18n-00.txt](http://gbiv.com/protocols/uri/drafts/draft-duerst-query-i18n-00.txt) - 16k - [Cached](#) - [Similar pages](#)

### A Service-Oriented Architecture for Enabling Centralized ...

The **proxy** servlet filter parameters define the URL for the application domain. Servlet Filter The servlet filter modifies the **HTTP request header** to **add** a ...  
[dev2dev.bea.com/pub/a/2004/09/ssosaml.html](http://dev2dev.bea.com/pub/a/2004/09/ssosaml.html) - 64k - [Cached](#) - [Similar pages](#)

### Internet Access Monitor: Configuring the ISA Server 2006 HTTP Filter

This example shows the request type (GET), the **HTTP request Header** (HTTP/1.1) the User-Agent ... Works with Microsoft ISA Server and other **proxy** servers ...  
[www.internetaccessmonitor.com/.../Configuring-ISA-Server-2006-HTTP-Filter.php](http://www.internetaccessmonitor.com/.../Configuring-ISA-Server-2006-HTTP-Filter.php) - 26k - [Cached](#) - [Similar pages](#)

### Log Files - Apache HTTP Server